

Flamingo


Design by Antoni Arola



The challenge consisted of projecting light onto the shade rather than directly from the light source. The result, an ethereal effect, where the fitting and its lighting are deconstructed.



1530 18 /1B. 1550 93 /1B. 1560 18 /1B.



1560 18 /1B. 1520 18 /1B. 1550 18 /1B.



1515 20 /15.

Flamingo



1510 20 /1B.

Flamingo



1520 93 /1B.



1520 18 /1B.
1510 93 /1B.




1520 18 /1B.

Flamingo

1540 18 / 1B.




1540 18 / 1B.




1540 67 / 1B.

Flamingo


1510.




1515.




1520.




1525.




1530.




1535.




1540.



1550.



1560.



Methacrylate diffuser / Difusor de metacrilato.

<p>1510 18 /1B. 1520 18 /1B. 1510 20 /1B. 1520 20 /1B. 1510 67 /1B. 1520 67 /1B. 1510 93 /1B. 1520 93 /1B.</p>	<p>2 x LED 5,6W 500mA.</p>	<p>LED IP20 CE Bi-volt</p>	<p>18 Matt graphite lacquer / Lacado grafito mate. 20 Matt gold / Oro satinado mate. 67 Gloss copper / Cobre brillo. 93 Matt white lacquer / Lacado blanco mate.</p>	<p>/1B. 2700 °K. Dimmable: 1-10V + Push.</p>
<p>1530 18 /1B. 1550 18 /1B. 1560 18 /1B. 1530 20 /1B. 1550 20 /1B. 1560 20 /1B. 1530 67 /1B. 1550 67 /1B. 1560 67 /1B. 1530 93 /1B. 1550 93 /1B. 1560 93 /1B.</p>	<p>3 x LED 5,6W 500mA.</p>	<p>LED IP20 CE</p>		
<p>1540 18 /1B. 1540 20 /1B. 1540 67 /1B. 1540 93 /1B.</p>	<p>1 x LED 5,6W 500mA.</p>	<p>LED IP20 CE Bi-volt</p>		
<p>1515 18 /15. 1525 18 /15. 1515 20 /15. 1525 20 /15. 1515 67 /15. 1525 67 /15. 1515 93 /15. 1525 93 /15.</p>	<p>2 x LED 5,6W 500mA.</p>	<p>LED IP20 CE Bi-volt</p>	<p>18 Matt graphite lacquer / Lacado grafito mate. 20 Matt gold / Oro satinado mate. 67 Gloss copper / Cobre brillo. 93 Matt white lacquer / Lacado blanco mate.</p>	<p>/15. 2700 °K. Dimmable: Push. With plug / Con enchufe.</p>
<p>1535 18 /15. 1535 20 /15. 1535 67 /15. 1535 93 /15.</p>	<p>3 x LED 5,6W 500mA.</p>	<p>LED IP20 CE</p>		

Check additional product specifications at the end of this catalogue: Technical information /
Consultar especificaciones adicionales del producto al final del catálogo: Información Técnica.

